2005/014

Application No.: 10/700,785

Docket No.: JCLA11670-R

In The Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (currently amended) An integrated audio/video sensor, comprising:

a substrate;

an image-receiving module for sensing an image;

a sound-receiving module with a cavity, for sensing a sound, disposed on the substrate, wherein the image-receiving module is disposed on the sound-receiving module and comprises an outer cavity casing with a membrane thereon, a fixed inner cavity casing, and an electrical insulator between the outer cavity casing and the fixed inner cavity casing; and

a signal-transforming module, disposed on the substrate and accommodated in the cavity, for transforming the received image and the received sound into an audio/video signal which comprises a video signal component and an audio signal component;

wherein the signal-transforming module comprises an image-sensing chip for detecting the image and outputting the audio/video signal, an audio amplifier chip for detecting the sound, amplifying the sound detected and outputting the audio/video signal, and an audio/video processing chip for carrying out a post-processing of the audio/video signal.

2. (previously presented) The integrated audio/video sensor of claim 1, wherein the signal-transforming module further comprises:

2006/014

Application No.: 10/700,785

Docket No.: JCLA11670-R

a peripheral circuit chip.

3. (original) The integrated audio/video sensor of claim 2, wherein the image-sensing

chip comprises a complementary metal-oxide-semiconductor (CMOS) image-sensing module or

a charged coupled device (CCD).

4. (original) The integrated audio/video sensor of claim 1, wherein the

signal-transforming module is fabricated by a multi-chip module (MCM) method or a system on

a chip (SOC) method.

5. (original) The integrated audio/video sensor of claim 1, wherein the

signal-transforming module transforms the received image and the received sound

synchronously.

Claim 6. (canceled)

7. (currently amended) The integrated audio/video sensor of claim 1, wherein the

sound-receiving module comprises is a condenser microphone.

Page 4 of 12

03/03/2008 MON 16:52 FAX 949 6600809 --- USPTO

2007/014

Application No.: 10/700,785

Docket No.: JCLA11670-R

8. (currently amended) An integrated audio/video signal processing system, comprising:

an integrated audio/video sensor, comprising:

a substrate;

a sound-receiving module with a cavity, for sensing a sound, disposed on the substrate,

wherein the image-receiving module is disposed on the sound-receiving module and comprises

an outer cavity casing with a membrane thereon, a fixed inner cavity casing, and an electrical

insulator between the outer cavity casing and the fixed inner cavity casing; and

a signal-transforming module, disposed on the substrate and accommodated in the cavity,

for transforming the received image and the received sound into an audio/video signal, wherein

the signal-transforming module comprises an image-sensing chip for detecting the image and

outputting the audio/video signal, an audio amplifier chip for detecting the sound, amplifying the

sound detected and outputting the audio/video signal, and an audio/video processing chip for

carrying out a post-processing of the audio/video signal; and

an audio/video system for post-processing the audio/video signal.

9. (previously presented) The integrated audio/video signal processing system of claim 8,

wherein the signal-transforming module further comprises:

a peripheral circuit chip.

Page 5 of 12

Application No.: 10/700,785

Docket No.: JCLA11670-R

10. (original) The integrated audio/video signal processing system of claim 9, wherein the image-sensing chip further comprises a complementary metal-oxide-semiconductor (CMOS) image-sensing module or a charged coupled device (CCD).

- 11. (original) The integrated audio/video signal processing system of claim 8, wherein the signal-transforming module is fabricated using either a multi-chip module (MCM) method or a system on a chip (SOC) method.
- 12. (original) The integrated audio/video signal processing system of claim 8, wherein the signal-transforming module transforms the received image and the received sound synchronously.
- 13. (original) The integrated audio/video signal processing system of claim 8, wherein the audio/video signal comprises a video signal component and an audio signal component.
- 14. (currently amended) The integrated audio/video signal processing system of claim 8, wherein the sound-receiving module emprises is a condenser microphone.
- 15. (previously presented) The integrated audio/video sensor of claim 1, wherein the image-receiving module comprises a holder and a lens installed in an end of the holder, and the

Page 6 of 12

Application No.: 10/700,785

Docket No.: JCLA11670-R

sound-receiving module and the signal-transforming module are installed in an opposite end of the holder.

16. (currently amended) The integrated audio/video sensor of claim 15, wherein the cavity is an air cavity—the sound-receiving module comprises an air cavity, and the signal transforming module is accommodated in the air cavity.

17. (previously presented) The integrated audio/video signal processing system of claim 8, wherein the image-receiving module comprises a holder and a lens installed in an end of the holder, and the sound-receiving module and the signal-transforming module are installed in an opposite end of the holder.

18. (currently amended) The integrated audio/video signal processing system of claim 17, wherein the cavity is an air cavity the sound receiving module comprises an air cavity, and the signal transforming module is accommodated in the air cavity.